Material Safety Data Sheet



1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Chemical Product Name CG-90 Non-Phosphate Anti-Corrosive Deicer

Chemical Product Code 300

Chemical Family Alkali Metal

Chemical Name Sodium Chloride, Lanthanide Chloride, Sodium Gluconate, Amorphous Precipitated

Silica, Yellow Prussiate of Soda

Formula NaCl, LaCl₃.6H₂O blend, C₆H₁₂NaO₇, SiO₂, Na₄Fe(CN)₆.10H₂O.

Molecular Weight 58.44, 354.7, 219.17, 60.1, 484.06.

Manufacturer Emergency Telephone Numbers

Cargill Incorporated - Salt Division

P.O. Box 5621

Minneapolis, MN 55440

(952) 984-8214 (during business hours)

2. COMPOSITION/INFORMATION ON INGREDIENTS

Description

Ingredient Name

CAS Number	Exposure Limits	Concentration (%)
7647-145		+99%
68188-88-5		>0.5%
527-07-01		>0.8%
112926-00-8		>0.3%
13601-19-9		>0.0080%

3. HAZARDS INDENTIFICATION

EMERGENCY OVERVIEW

THIS PRODUCT IS NOT REGULATED UNDER: OSHA Hazard Communication Standard 29 CFR 1910.1200 or SARA Title III. Does not contain hazardous components.

Potential Health Effects

Route(s) Of Entry: Inhalation, Skin, Ingestion.

Human Effects and Symptoms of Overexposure: Ingestion of large amounts (greater than 0.1 pound) can cause gastrointestinal upset and irritation of the stomach. Rare cases of over exposure can lead to systemic toxicity related to the binding of ionized blood calcium. No applicable information found for chronic systemic effects.

Acute Inhalation: Slight irritation of the nose; sneezing.

Chronic Inhalation: Not Applicable

Acute Skin Contact: Irritation; inflammation.

Chronic Skin Contact: Not Applicable

Acute Eye Contact: Irritation; inflammation.

Chronic Eye Contact: Not Applicable

Acute Ingestion: Nausea; vomiting.

Chronic Ingestion: Not Applicable

Carcinogenicity

NTP: Not listed as a carcinogen or mutagen.

IARC: Not listed as a carcinogen or mutagen.

OSHA: Not listed as a carcinogen or mutagen.

Medical Conditions Aggravated by Exposure: In some cases of confirmed hypertension, ingestion may result in elevated blood pressure. (This applies only to salt-sensitive individuals.)

4. FIRST AID MEASURES

First Aid For Eyes: For eye contact, flush with water immediately, lifting eyelids occasionally.

First Aid For Skin: Remove clothing from affected area. Wash skin thoroughly. Rinse carefully.

First Aid For Inhalation: If person breathes large quantities, remove to fresh air at once. If breathing stops, apply artificial respiration immediately.

First Aid For Ingestion: Less than a few greams would not be harmful. For larger quantities, drink large amounts of water or milk.

5. FIRE AND MEASURES

Flash Point: Not Flammable.

Extinguishing Media: This product is not flammable. Use media appropriate to the surrounding fire.

Special Fire Fighting Procedures: Thermal oxidative decomposition may produce toxic fumes. A self-contained breathing apparatus (SCBA) with a full facepiece operated in the pressure demand or positive-pressure mode is recommended.

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Contain spills to prevent contamination of water supply or sanitary sewer system. Vacuum or sweep into containers for proper disposal.

7. HANDLING AND STORAGE

Storage Temperature (min./max.): Not Applicable

Special Sensitivity: Contact with strong acids. Under conditions of high heat, sodium chloride will react with lithium to yield elemental sodium, which will intensify fire conditions.

Handling and Storage Precautions: Avoid humid or wet conditions as product will cake and become hard.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection Requirements: Eyeglasses or goggles should be worn in dusty areas.

Skin Protection Requirements: Normal work gloves are adequate. Protective clothing may be worn in dusty areas, but is generally not required. Warm water showering and handwashing is suggested after working in extremely dusty areas.

Respiratory/Ventilation Requirements: NIOSH/MSHA approved respirator for particulates. Dust collection equipment may be employed.

Exposure Limits: Ventilate as required to maintain airborne particulates below occupational exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Mixture or white, great or clear crystalline solids.

Color: White, gray or clear.

Odor: Slight halogen odor.

Boiling Point (760mm Hg) (⁰C): N/A

Melt Point/Freeze Point (OC): 801

PH:

Solubility In Water (g/cc, %): 35/100

Specific Gravity ($H_{20=1}$): 1.25

Bulk Density:

% Volatile By Weight:

Vapor Pressure (mm Hg/N/A⁰C):

Vapor Density (Air=1): N/A

10. REACTIVITY

Stability: Stable

Incompatibilities: Avoid contact with strong acids.

Decomposition Products: May evolve chlorine gas when in contact with strong acids. May evolve carbon monoxide, carbon dioxide and/or oxides of sodium when heated.

11. TOXICOLOGICAL INFORMATION

Description: Not Listed.

12. ECOLOGICAL INFORMATION

Ecotoxicity: Not Listed.

Environmental Degradation: Not Listed.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: For disposal of this material as a waste, act in accordance with all applicable Federal, state, and local waste management regulations.

14. TRANSPORTATION INFORMATION

D.O.T. Shipping Name: Not Applicable

Technical Shipping Name: Not Applicable

D.O.T Hazard Class: Not Applicable

U.N./N.A. Number: Not Applicable

Product Rq (lbs.): Not Applicable

D.O.T. Label: Not Applicable

D.O.T. Placard: Not Applicable

Freight Class Bulk: Not Applicable

Freight Class Package: Not Applicable

Product Label: N/A

15. REGULATORY INFORMATION

OSHA Status: Not Listed

TSCA Status: Not Listed

Cercla reportable Quantity

SARA Title III

Section 302 Extremely

Hazardous Substances: Not Listed

Section 311/312

Hazard categories: Not Listed

Section 313

Toxic Chemicals: Not Listed

RCRA Status: Not Listed

State Regulatory Information

Component Name

/CAS Number Concentration State-Code

16. OTHER INFORMATION

Reason For Issue: Regulatory Communication

Prepared By: Ellen Bragg

Approved By: Dave Merriweather **Title:** Director-Quality Administration

Approval Date: 11/14/1998 **Supersedes Date:** 1/12/95 **MSDS Number:** C8

Disclaimer: All statements, technical information and recommendations contained herein are, the best of our knowledge, reliable and accurate; however no warranty, either expressed or implied is made with respect thereto, nor will any liability be assumed for damages resultant from the use of the material described.

It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations. It is also the responsibility of the user to maintain a safe workplace. The user should consider the helath hazards and safety information provided herein as a guide and should take the necessary steps to instruct employees and to develop work practice procedures to ensure a safe work environment.

This information is not intended as a license to operate under, or a recommendation to practice or infringe upon any patent of this Company or others covering any process, composition of matter or use.

Document Information

Created: 11/14/1996

By: Ellen Bragg By: Skip Niman/mpls/salt/CARGILL_NOTES Modified: 11/22/2000 10:27:04 AM